




SHENG-I

RIMS AND TIRES

For electric scooters



Exporter & Manufacturer





| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 3530 | Aluminum 2pieces | | 6001VV*38 | TT/PU | 7*1¾ | C179 | 7" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 3530 | Aluminum 2pieces | φ17*38*15 | | TT/PU | 200*50 | C968 | 8" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 3530 | Aluminum 2pieces | | 6000VV*28 | TT/PU | 200*50 | C179 | 8" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|-------------------------------------|-------------|-------------|------|-----------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSH/4046 | External:Aluminum Internal:Steel | | 6001VV*28 | TT | 2.50/ 2.00-4 | | 8" |



φ17*45*16

6002VV*38

6200VV*54

| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|------------------|-------------|-------------|-------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/4050 | Aluminum 2pieces | φ17*45*16 | | TT/PU | 2.80/2.50-4 | C178 | 9" |
| 2ALH/4050 | Aluminum 2pieces | | 6002VV*38 | TT/PU | 2.80/2.50-4 | C178 | 9" |
| 2ALH/4050 | Aluminum 2pieces | | 6200VV*54 | TT/PU | 2.80/2.50-4 | C178 | 9" |


| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|-------------------------------------|-------------|-------------|------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSB/4056 | External:Aluminum Internal:Steel | φ20*45*16 | | TT | 2.80/2.50-4 | G997 | 9" |
| ALSH/4056 | External:Aluminum Internal:Steel | | 6002VV*38 | TT | 2.80/2.50-4 | G997 | 9" |
| 2ALH/4056 | Aluminum 2pieces | | 6201VV*38 | TT | 2.80/2.50-4 | G997 | 9" |



6201VV*38

6002VV*38

φ20*45*16



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|------------------|-------------|-------------|-------|---------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/4050 | Aluminum 2pieces | | 6200VV*54 | TT/PU | 2.80/2.50-4 | C179N | 9" |
| 2ALH/4060 | Aluminum 2pieces | | 6002VV*96 | TT/PU | 260*85/3.00-4 | C179N | 10" |
| 2ALH/4060 | Aluminum 2pieces | | 6002VV*70 | TT/PU | 260*85/3.00-4 | C179N | 10" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|-------------------------------------|-------------|-------------|------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSB/4062 | External:Aluminum Internal:Steel | φ17*38*15 | | TT | 3.50-4 | T997 | 10" |
| ALSH/4062 | External:Aluminum Internal:Steel | | 6002VV*38 | TT | 3.00-4 | T996 | 10" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|------------------|-------------|-------------|-------|---------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/4056 | Aluminum 2pieces | φ17*45*15 | | TT/PU | 260*85/3.00-4 | C248 | 10" |
| 2ALH/4056 | Aluminum 2pieces | | 6002VV*38 | TT/PU | 260*85/3.00-4 | C179N | 10" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|---------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 5062 | Aluminum 2pieces | | 6002VV*65 | TT/TL | 90/70-5 | G998 | 10" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 5062 | Aluminum 2pieces | | 6002VV*38 | TT/TL | 4.10/3.50-5 | GM905 | 12" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|-------------------------------------|-------------|-------------|-------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSH/ 5062 | External:Aluminum Internal:Steel | | 6002VV*38 | TT/TL | 4.10/3.50-5 | C168 | 12" |





| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 5062 | Aluminum 2pieces | φ20*45*15 | | TT/TL | 4.00-5 | GM905 | 12.5" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|-------------------------------------|-------------|-------------|------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSB/ 5062 | External:Aluminum Internal:Steel | | φ17*38*15 | TT | 4.00-5 | C154 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 5062 | Aluminum 2pieces | | R10ZZx55 | TT/TL | 10*4.50-5 | 242 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 6062 | Aluminum 2pieces | φ17*38*15 | | TT/TL | 4.10/3.50-6 | C168 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|-------------------------------------|-----------------|-------------|------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSB/ 6062 | External:Aluminum Internal:Steel | φ19.05*51*14.76 | | TT | 3.50/3.25-6 | G988 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|-------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 6062 | Aluminum 2pieces | | 6002VV*82 | TT/TL | 4.10/3.50-6 | T996 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 6062 | Aluminum 2pieces | | 6202VV*66 | TT/TL | 100/50-6 | G999 | 10.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 6086 | Aluminum 2pieces | | 6202VV*57 | TL | 13*5.00-6 | K500 | 12.5" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 6086 | Aluminum 2pieces | | 6201VV*80 | TT/TL | 13*500-6 | K358 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-----------------|-------------|-------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 6086 | Aluminum 2pieces | φ19.05*51*14.76 | | TT/TL | 13*5.00-6 | K358 | 12.5" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------|-------------------------------------|-----------------|-------------|------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSB/6086 | External:Aluminum Internal:Steel | φ19.05*51*14.76 | | TT | 13*5.00-6 | K358 | 12.5" |
| ALSH/6086 | External:Aluminum Internal:Steel | | 6003VV*55 | TT | 13*5.00-6 | K358 | 12.5" |





| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|-------------|-------------|-------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 60110 | Aluminum 2pieces | | 6003VV*55 | TT/TL | 15*6.00-6 | K500 | 15" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|-------------|------------------------|-------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 60110 | Aluminum 2pieces | | 6201VV*58 6003VV*72 | TT/TL | 110/90-6 | G988 | 14" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|-------------|-------------|-------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 60110 | Aluminum 2pieces | φ20*50*15 | | TT/TL | 145/70-6 | C829 | 15" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|-------------|-------------|-------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 60110 | Aluminum 2pieces | φ22*51*15 | | TT/TL | 15*6.00-6 | C165 | 15" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALH/ 8030 | Aluminum 1pieces | | 6001VV*25 | TT/PU | 12½*2¼ | C628 | 12.5" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------------|-------------|------------------------|-------|-----------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALH/ 8030 | Aluminum 1pieces | | 6001VV*54 6902VV*52 | TT/PU | 12½*1.75 *2¼ | IA-2603 | 11.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALB/ 8030 | Aluminum 1pieces | φ17*51*16 | | TT/PU | 12½*2¼ | C628 | 12.5" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---|--|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2SBS/ 8032 | Steel 2Pieces Adapter: Aluminum Wrap Iron | φ17*45*16 φ17*51*15 φ19*51*15 φ22*51*15 | | TT/PU | 12½*2¼ | C628 | 12.5" |





| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 8032 | Aluminum 2pieces | | 6002VV*30 | TT/PU | 12½*2¼ | C628 | 12.5" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|-------------------------------------|--|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSBS/ 8032 | External:Aluminum Internal:Steel | φ17*45*16 φ17*51*15 φ19*51*15 φ22*51*15 | | TT/PU | 12½*2¼ | C628 | 12.5" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 8048 | Aluminum 2pieces | φ17*38*16 | | TT | 2.50-8 | C177 | 13" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|-------------------------------------|-------------|-------------|-------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALSB/ 8048 | External:Aluminum Internal:Steel | φ17*38*16 | | TT/PU | 3.00-8 | C248 | 14" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|--------------------------|-------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 8064 | Aluminum 2pieces | | 6002VV*41 6003VV*70.5 | TT/TL | 100/60-8 | G999 | 13" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|--|-------------|-------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALBS/ 8064 | Aluminum 2pieces | φ17*45*16 φ17*51*15 φ19*51*15 φ22*51*15 | | TT/TL | 100/75-8 | G999 | 14" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|--------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 8064 | Aluminum 2pieces | φ20*73*15 | | TT | 3.50-8 | C161 | 15" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------|------------------------------|-------------|------|------------------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| AL/ 80140 | Steel 1pieces | φ19.05*51*14.76 φ22*51*16 | | TL | 16*6.50-8 16*7.50-8 | K500 | 15.5" 16.5" |





| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|---------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 9050 | Aluminum 2pieces | | 6002VV*56 | TL | 80/80-9 | S555 | 14" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|---------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 9050 | Aluminum 2pieces | φ17*38*16 | | TL | 80/80-9 | S555 | 14" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|---------|--------------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 9065 | Aluminum 2pieces | | 6002VV*56 | TL | 90/85-9 | G999 S555 | 15" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|---------|--------------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 9065 | Aluminum 2pieces | φ17*38*16 | | TL | 90/85-9 | G999 S555 | 15" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-----------------|-------------|------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 9080 | Aluminum 2pieces | φ19.05*51*14.76 | | TL | 100/65-9 | G999 | 14" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 9080 | Aluminum 2pieces | | 6003VV*70.5 | TL | 100/65-9 | G999 | 14" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|-------------|------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 9080 | Aluminum 2pieces | φ22*51*16 | | TL | 100/85-9 | G999 | 16" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|-----------------------|---------------------|-------------|--------------------------|------|----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 9080 | Aluminum 2pieces | | 6202VV*56 6003VV*70.5 | TL | 100/85-9 | G999 | 16" |





| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------------|--------------|-------------------|------|---------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| AL/ 10064 | Aluminum 1pieces | m:1.0 φ19 | nt:19 pa:39.5° | TL | 3.00-10 | C936 | 16" |




| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|------------------------------|-------------|-------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALB/ 10078 | Aluminum 2pieces | φ19.05*51*14.76 φ22*51*16 | | TT/TL | 100/75-10 | GM905 | 16" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|------------------------|---------------------|-------------|-------------|------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2ALH/ 10078 | Aluminum 2pieces | | 6202VV*38 | TL | 100/75-10 | S555 | 16" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|------------------|-------------|-------------|-------|------------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| 2S/ 10030 | Steel 2pieces | | | TT/SR | 14*2.00-10 | | 14" |



| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------------|-------------|-------------|------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| AL/ 24138 | Aluminum 1pieces | | | TT | 24"*1-3/8 | C63N | 24" |

| MODEL NO | HUB TYPE | | | TIRE | | | |
|----------------------|---------------------|-------------|-------------|------|-----------|---------|--------------------|
| | MATERIAL | KEY WAY(MM) | BEARING(MM) | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| AL/ 24138 | Aluminum 1pieces | | | TT | 24"*1-3/8 | C63N | 24" |





| MODEL NO | HUB TYPE | | | TIRE | | |
|-----------------------|----------|--------------|------|--------|---------|--------------------|
| | MATERIAL | STANDARD | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALH/ 24100 | Aluminum | 20/24/28/36H | TT | 24"*1" | IA2818 | 24" |



| MODEL NO | HUB TYPE | | | TIRE | | |
|-----------------------|----------|----------|------|---------------------|---------|--------------------|
| | MATERIAL | STANDARD | TYPE | SIZE | PATTERN | TOTAL HEIGHT(INCH) |
| ALH/ 24100 | Aluminum | 12H | TT | 24"*1" 24"*1-3/8 | | 24" |

Power Generation Wheel

Power wheel set is generated by running wheel, providing power to headlights, turn signals and tail lights, this new design can improve endurance.





SHENG-I

申溢有限公司

SHENG-I CO., LTD.

彰化縣508和美鎮線東路三段162號

No. 162, Sec. 3, Siandong Rd., Hemei Township,
Changhua County, Taiwan.

TEL: 886-4-7330011

FAX: 886-4-7330022

外銷部 **EXPORT DEPARTMENT**

E-mail: agp@shengi.com.tw

cdd93001@gmail.com